



**Color Guard World Championships  
University of Dayton Arena Site Info  
University of Dayton Arena  
1801 South Edwin C Moses Blvd  
Dayton, OH 45408**

- The arena is situated on three floors:
  - The lower level is the contest floor, entrances and exits for the contest floor, color guard first aid and staging area.
  - The walk-in level is Performance Check-In, the warm up areas, ticket office, music check area, entrance to the arena for competing color guards, entrances for spectators and non-performing color guards. Photography tent is outside of the tunnel entrance.
  - On the upper level is Headquarters (entrance on walk-in level, Boesch Lounge).
- Parking for color guards and spectators is abundant. Spectators enter at Parking Gate D ONLY. There is a \$5 per vehicle parking fee. Each color guard will be allotted 3 parking passes. See maps for details and for traffic flow.
- The mixing board for the sound system and the sound person will be located in the front stands. The WGI sound person will have control of the level of sound. See contest info packet for sound check times.
- There are NO dressing facilities available. Performing members should arrive at the arena in competitive attire.
- An 11' black drape will adorn the back stands of the competition area.
- Music is permitted in both body and equipment warm up at moderate levels. WGI does not provide a sound system in any warm up area. If you wish to use music, please provide your own system.
- The floor is rubberized composite. A black tarp will cover the entire competition area.
- The competition area is 106' X 78'. Please see the floor plan for more details.
- An electrical outlet will be available at the front and back side line.
- Height of the facility is more than adequate.
- Please report to Performance Check In no earlier than your listed report time. Performance Check In times are listed in the logistical schedule.

***REMINDER - Your color guard MUST check in at Championship Headquarters in the Boesch Lounge at UD Arena prior to your performance in the arena to pick up all contest material. Those color guards who do not check in at Championship Headquarters may be denied entrance to the facility.***



# WGI Color Guard World Championships<sup>®</sup>


## University of Dayton Arena







UNIVERSITY OF DAYTON ARENA  
1801 S. Edwin C. Moses Blvd, Dayton, OH 45408




# Color Guard World Championships

## UD Arena

### Equipment Warm Up Specs

## Doors to tunnel

Ceiling Height  
at doors - 20'  
to the lights, it  
is higher  
between the  
lights



Ceiling Height  
at wall - 12'  
to the lights, it  
is higher in  
between the  
lights

From Body  
Warm Up

## UD Arena




## Color Guard World Championships Competition Area University of Dayton Arena, Dayton, OH

All WGI contest sites must have a minimum of seventy by one hundred feet (70' x 100') to accommodate a "safety zone" of five (5) feet from any spectator seating. If no spectators are seated on the left and right sides, then the safety zone will be eliminated on the left and right sides of the competition area and could extend to a maximum of 78' X 106'.

The "competition area" at this event measures 78' X 106'. All performing groups must be prepared to perform within that area. Floors (tarps) may not extend into the safety zones per rules found in the WGI Adjudication Manual and Rulebook.

← **Black Curtain** →



# WGI Color Guard World Championships University of Dayton Arena

