

WGI World Championship Practice Venue Information

SportsPlex 5447 Intrastate Drive Fairborn, OH 45324

- 📖 Groups may arrive **no more than one hour prior** to their scheduled practice start time. If group is the first one in the building, the building will be open 10-15 minutes prior to your start time. Start times for this practice venue are no earlier than 6 am.
- 📖 Cars, large vehicles, buses, box trucks and semi trailers may all park in the parking lot adjacent to the venue.
- 📖 The group director must **SIGN IN** prior to unloading so that they can be directed where to go.
- 📖 Prior to the groups' scheduled practice start time, groups may use **interior space** to do the following:
 - Use the restroom
 - Load in their equipment to wait for their available practice space
 - Stretch in the hallways as long as they are not blocking pathways
- 📖 Prior to the groups' scheduled practice start time, groups may use **exterior space** of the building to do the following:
 - Unload
 - Stretch
 - Play Music
 - Spin Equipment
 - Drum
 - Eat a meal
- 📖 After the group's practice time has concluded, groups may use the facility showers and restrooms to prepare for their performance. *(Please remember to clean up after yourselves.)*
- 📖 The soccer goals are stationary in this facility and cannot be moved.
- 📖 Food and drink may be brought into this facility. This facility also has a concession stand available during your group's practice time.

Practice Facility Spec Sheet

Practice Facility: _____

Type of facility: Single Gym Fieldhouse Style [Gym/Soccer] Open Space Auditorium Soccer Field

How many groups will potentially be in this facility at the same time? _____

Is there any place for instructors to view the practice venue from above? YES NO

Entrance Door Dimensions: _____

Center Bar in entrance door: YES NO N/A Removable Center Bar: YES NO

Facility Dimensions - Width wall to wall: _____ Length wall to wall: _____

Approximate Ceiling Height: _____

Obstructions in the area: _____

Stairs to contend with in any part of the facility: _____

Exit Door Dimensions: _____

Center Bar in exit door: YES NO N/A Removable Center Bar: YES NO

Comments: _____

SportsPlex




© 2015 Google

Google earth

1994

Imagery Date: 6/13/2014 39°50'43.32" N 83°59'27.55" W elev 855 ft eye alt 2927 ft

SportsPlex Field A



SportsPlex Field A

