

WGI World Championship Practice Venue Information

The Field

215 American Way
Monroe, OH 45050

- 📖 Groups may arrive **no more than 30 minutes prior** to their scheduled practice start time. If group is the first one in the building, the building will be open 10-15 minutes prior to your start time. Start times for this practice venue are no earlier than 6 am.
- 📖 Cars, large vehicles, buses, box trucks and semi trailers may all park in the parking lot adjacent to the venue.
- 📖 Prior to the groups' scheduled practice start time, groups may use **interior space** to do the following:
 - Use the restroom
 - Load in their equipment to wait for their available practice space
 - Stretch in the hallways as long as they are not blocking pathways
 - *There is limited space available to do this. Groups must not interfere with the group on the field.*
- 📖 Prior to the groups' scheduled practice start time, groups may use **exterior space** of the building to do the following:
 - Unload
 - Stretch
 - Play Music
 - Spin Equipment
 - Drum
 - Eat a meal
- 📖 If the group has carts wider than a standard 36" door, please ask the facility management to open the garage doors upon your arrival.
- 📖 After the group's practice time has concluded, groups may use the facility restrooms to prepare for their performance. *(Please remember to clean up after yourselves.)*
- 📖 The soccer goals are stationary in this facility and cannot be moved.
- 📖 Food and drink may be brought into this facility (no alcohol).
- 📖 The Field has asked that there be NO glitter, confetti, gum, food, or drinks on the actual field or playing walls. All food and drink must be kept in the stands. A representative from The Field will go over the turf after each group. If you are found in violation of this, you will be assessed a fine equal to the rental of the machine to clean the surface.

Practice Facility Spec Sheet

Practice Facility: _____

Type of facility: Single Gym Fieldhouse Style [Gym/Soccer] Open Space Auditorium Soccer Field

How many groups will potentially be in this facility at the same time? _____

Is there any place for instructors to view the practice venue from above? YES NO

Entrance Door Dimensions: _____

Center Bar in entrance door: YES NO N/A Removable Center Bar: YES NO

Facility Dimensions - Width wall to wall: _____ Length wall to wall: _____

Approximate Ceiling Height: _____

Obstructions in the area: _____

Stairs to contend with in any part of the facility: _____

Exit Door Dimensions: _____

Center Bar in exit door: YES NO N/A Removable Center Bar: YES NO

Comments: _____

The Field



Monroe
Mechanical

A
Field Sports
Arena

Loading/Unloading

Bus/Truck Parking

American Way


American Way

American Way

The Field Monroe, OH



The Field Monroe, OH



The Field Monroe, OH



The Field Monroe, OH

