WGI World Championship Practice Venue Information

Dayton Sports Complex 4801 Salem Avenue Dayton, OH 45416

- Groups may arrive **no more than 30 minutes prior** to their scheduled practice start time. If group is the first one in the building, the building will be open 10-15 minutes prior to your start time. Start times for this practice venue are no earlier than 6 am.
- Cars, large vehicles, buses, box trucks and semi trailers may all park in the parking lot adjacent to the venue. (see exterior site map)
- Prior to the groups' scheduled practice start time, groups may use interior space to do the following:
 - Use the restroom
 - Load in their equipment to wait for their available practice space (see interior site map for where you may load in)
 - o Stretch in the hallways as long as they are not blocking pathways or exits
- Prior to the groups' scheduled practice start time, groups may use exterior space of the building to do the following:
 - Unload
 - Stretch
 - Eat a meal
- After the group's practice time has concluded, groups may use the facility restrooms, showers, and hallways to prepare for their performance. (Please remember to clean up after yourselves.)
- The soccer goals are moveable and should be moved prior to your arrival. If you need them moved, please see venue personnel.
- Food and drink may not be brought into this facility for the performers. This facility will have a concession stand available during your group's practice time.
- Please be courteous and clean up after your group.

Practice Facility Spec Sheet

Practice Facility:
Type of facility: Single Gym Fieldhouse Style [Gym/Soccer] Open Space Tennis Court Soccer Field
How many groups will potentially be in this facility at the same time?
Is there any place for instructors to view the practice venue from above? YES NO
Entrance Door Dimensions:
Center Bar in entrance door: YES NO N/A Removable Center Bar: YES NO
Facility Dimensions - Width wall to wall: Length wall to wall:
Approximate Ceiling Height:
Obstructions in the area:
Stairs to contend with in any part of the facility:
Exit Door Dimensions:
Center Bar in exit door: YES NO N/A Removable Center Bar: YES NO
Comments:









Dayton Sports Complex *Map not to scale



