

WGI World Championship Practice Venue Information

Dayton Flyght Academy 4533 Covenant House Drive Dayton, OH 45426

- 📖 Groups may arrive **no more than 15 minutes prior** to their scheduled practice start time. If group is the first one in the building, the building will be open 15 minutes prior to your start time. Start times for this practice venue are no earlier than 6 am.
- 📖 Cars, large vehicles, buses, box trucks and semi trailers may all park in the parking lot adjacent to the venue.
- 📖 The Flyght Academy is a pressurized dome. Do not access the garage without full supervision of the FA staff.
- 📖 Prior to the groups' scheduled practice start time, groups may use **interior space** to do the following:
 - Use the restroom
 - Load in their equipment to wait for their available practice space
 - Stretch in the hallways as long as they are not blocking pathways
- 📖 Prior to the groups' scheduled practice start time, groups may use **exterior space** of the building to do the following:
 - Unload
 - Stretch & Spin
 - Eat a meal
- 📖 After the group's practice time has concluded, groups may use the facility restrooms to prepare for their performance. *(Please remember to clean up after yourselves.)*
- 📖 After the group's practice time has concluded, groups may use exterior space of the building to do the following:
 - Eat a meal
 - Prepare for performance
- 📖 Food and drink may be brought into this facility. Food and drink is only permitted on the rubber mat area where there are tables and chairs. No food or drink is permitted on the basketball floor.

Practice Facility Spec Sheet

Practice Facility: _____

Type of facility: Single Gym *Fieldhouse Style:* Gym or Soccer
Open Space Tennis Court Soccer Field

How many groups will potentially be in this facility at the same time? _____

Is there any place for instructors to view the practice venue from above (*ie bleachers or a stage*)? YES NO

Entrance/Exit Door Dimensions: _____

Center Bar in entrance door: YES NO N/A Removable Center Bar: YES NO

Facility Dimensions - Width wall to wall: _____ Length wall to wall: _____

Approximate Ceiling Height: _____

Obstructions in the area: _____

Stairs to contend with in any part of the facility: _____

Exit Door Dimensions (if different than entrance): _____

Center Bar in exit door: YES NO N/A Removable Center Bar: YES NO

Comments: _____

**DAYTON FLYGHT ACADEMY
TROTWOOD, OH**




**UNLOAD &
LOADING
ONLY
THRU GARAGE**

**THE FLYGHT ACADEMY IS A
PRESSURIZED DOME. DO NOT
ACCESS THE GARAGE WITH-
OUT FULL SUPERVISION OF
THE FA STAFF.**

**DAYTON FLYGHT ACADEMY
GARAGE DOOR ACCESS**

**THE FLYGHT ACADEMY IS A
PRESSURIZED DOME. DO NOT
ACCESS THE GARAGE WITHOUT
FULL SUPERVISION OF THE FA
STAFF.**





**GARAGE
DOOR
ENTRANCE**

COURT 2

COURT 1

COURT 3

**No
SPINNING
IN THIS
AREA**

No WGI

**DAYTON FLYGHT ACADEMY
TROTWOOD, OH**

appx 109'

appx 98'

appx 72'

appx 82

appx 109'

DAYTON FLYGHT ACADEMY
COURTS 1 & 2

COURT 2

COURT 1

