



## **Dallas Percussion & Winds Regional**

### **Site:**

Burleson Centennial High School  
201 South Hurst Road  
Burleson, TX 76028

**Dimensions:** 100ft. X 67ft.

**Front Side Bleacher Rows:** 17                      **Seating Capacity:** appx 1325

**Approximate Ceiling Height:** appx 35 ft

There are no stairs to contend with in the competition area.

There are no permanent obstructions in the ceiling of the performance gym.

Ensembles do not enter the competition area directly from the outdoors.

There is electrical power available at the front and back sidelines.

Ensembles exit the competition area directly to the outdoors.

There is indoor space to be utilized for prop storage prior to the competition.

There will be a black vinyl tarp covering the performance gym floor.

In case of inclement weather there is an indoor area to fold floors after the performance.

The distance from the indoor warm up areas to the competition area is about 2-10 minutes of travel time depending upon which warm up area you are assigned.

### **Warm Up A**

PE Gymnasium

Dimensions: 114ft. X 72ft.

There are basketball hoops on the walls and raised hoops on the ends.

### **Warm Up B**

Indoor Football Facility

Dimensions: 90ft. X 60'

No obstructions in the area.

The above information is being provided to you in order give you the most complete information we currently have on this contest. All information is subject to change either before or during the event by contest personnel based on need.