



## San Antonio Color Guard Regional

### Site:

Canyon High School  
1510 IH 35  
New Braunfels, TX 78130

**Dimensions:** 100' x 60'

**Front Side Bleacher Rows:** 18                      **Seating Capacity:** appx 1000

**Approximate Ceiling Height:** appx 28 ft

There are no stairs to contend with in the competition area.

There are no permanent obstructions above the competition floor.

Color guards do not enter the competition area directly from the outdoors.

There is electrical power available at the front and back sideline.

Color guards do not exit the competition area directly to the outdoors.

The hallways will be utilized for prop storage prior to the competition.

There will be a black vinyl tarp measuring appx 60' x 90' covering the wooden gym surface.

An indoor space is available for floor folding.

The distance from body warm up to equipment warm up is approximately 1 minute.

The distance from equipment warm up to the performance gym is approximately 1 minute.

### Body Warm Up

Dance Gym

Dimensions: 59ft. X 43ft.

No obstructions in the area

Music may be used in body warm up at moderate levels to be determined per the contest administrator.

### Equipment Warm Up

Auxiliary Gym

Dimensions: 67ft. X 110ft.

Appx Ceiling Height: appx 28 ft.

Music may be used in equipment warm up at moderate levels to be determined per the contest administrator.

The above information is being provided to you in order give you the most complete information we currently have on this contest. All information is subject to change either before or during the event by contest personnel based on need.




Center Bar will be removed  
Height - 84" Width - 70"

The above information is being provided to you in order give you the most complete information we currently have on this contest. All information is subject to change either before or during the event by contest personnel based on need.



Prop Hallway  
Appx: Height – 20' Width – 20'

The above information is being provided to you in order give you the most complete information we currently have on this contest. All information is subject to change either before or during the event by contest personnel based on need.



Both the entrance and exit to the gym are the same width and the doors look exactly the same

Height – 84” Width – 68”

The above information is being provided to you in order give you the most complete information we currently have on this contest. All information is subject to change either before or during the event by contest personnel based on need.