



Salt Lake City Color Guard Regional

Site:

Roy High School
2150 West 4800 South
Roy, UT 84067

Dimensions: 105' x 75'

Front Side Bleacher Rows: 30 **Seating Capacity:** appx 2200

Approximate Ceiling Height: appx 30 ft

Groups will have to climb stairs between body and equipment warm up.

There are no permanent obstructions above the competition floor.

Color guards will enter the competition area directly from the outdoors.

There will be a double door 95" wide by 96" tall for entrance ONLY. Single door for exit.

There is electrical power available at the front and back sideline.

Color guards do not exit the competition area directly to the outdoors.

There are hallways available for indoor prop/floor storage prior to performance.

There will be a black vinyl tarp measuring appx 100'x70' covering the wooden gym surface.

In case of inclement weather, groups will be allowed to refold their tarps between prelims and finals.

The distance from body warm up to equipment warm up is approximately 1 minute.

The distance from equipment warm up to the performance gym is approximately 3 minutes.

Body Warm Up

Balcony Area above Equipment Warm Up Gyms

Dimensions: 78ft. X 18ft.

No obstructions in the area

Music may not be used in body warm up as it can be heard in equipment warm up and will disturb the other color guard in the area.

Equipment Warm Up

Auxiliary Gym

Dimensions: 90ft. X 75ft.

Appx Ceiling Height: appx 25 ft.

No obstructions in the area.

Music may not be used in equipment warm up as it can be heard in body warm up and will disturb the other color guard in the area.

The above information is being provided to you in order give you the most complete information we currently have on this contest. All information is subject to change either before or during the event by contest personnel based on need.